


1	NC
2	V0
3	V4
4	V3
5	V2
6	V1
7	C2-
8	C2+
9	C1+
10	C1-
11	C3+
12	C4+
13	VOUT
14	VSS
15	VDD
16	D7
17	D6
18	D5
19	D4
20	D3
21	D2
22	D1
23	D0
24	RDB
25	WRB
26	RS
27	RESETB
28	CS1B
29	NC

NOTES:

1. DISPLAY TYPE: FSTN
2. VIEWING DIRECTION: 6:00
3. POLARIZER MODE: TRANFLECTIVE/POSITIVE
4. DRIVE METHOD: 1/65 DUTY 1/9 BIAS
5. LCD OPERATING VOLTAGE: 9.0V VDD=2.6~3.0V
6. OPERATING TEMP.: 0°C~+50°C
7. STORAGE TEMP.: -20°C~+60°C
8. CONTROLLER: S6B0724A01-BOCY
9. CONNECTION: FPC
10. WITHOUT BACKLIGHT
11. UNMARKED TOLERANCE: ±0.3

DETAIL A:



MULTI-INNO TECHNOLOGY CO.,LTD.

DRAWN BY:	TITLE: MI13264E-G-1	 SCALE:
CHECKED BY:	DWG NO: G-2	
APPROVED BY:	DWG NAME:	SHEET NO: 1 OF 1
CONFIRMED BY:		